CLAIMS

1. Biologically active isolated Tat protein, fragments thereof and/or mutants and/or Tat DNA for use as a vaccine, said Tat, at picomolar to nanomolar concentrations being capable of: (i) entering and localizing in the nuclei of activated endothelial cells or dendritic cells; and/or (ii) activating the proliferation, migration and invasion of Kaposi's sarcoma (KS) cells and cytokine-activated endothelial cells protein.

2. Biologically active isolated Tat protein, fragments thereof and/or mutants and/or DNA Tat according to claim 1 further capable of: (iii) activating virus replication when added to infected cells as measured a) by the rescue of Tat-defective proviruses in HLM-1 cells after the addition of exogenous protein; and/or b) by the transactivation of HIV-1 gene expression in cells transfected with a HIV-1 promoter-reporter plasmid.

3. Biologically active isolated Tat protein, fragments thereof and/or mutants and/or Tat DNA according to claim 2 further capable of: (iv) inducing in mice the development of KS-like lesions in the presence of angiogenic factors or inflammatory cytokines.

4. Biologically active isolated Tat protein, fragments thereof and/or mutants and/or Tat DNA according to claim 1 at amounts ranging between 10 ng/ml and 1 µg/ml.

5. Biologically active isolated Tat protein, fragments thereof and/or mutants and/or Tat DNA according to claim 1 for prophylactic and/or therapeutic treatment of AIDS, tumors, syndromes and symptoms associated with HIV infection.

6. Protein or peptide or DNA vaccine, prophylactic and/or therapeutic, against AIDS, AIDS-associated tumors, syndromes and symptoms associated with the HIV infection, comprising as active principle biologially active Tat and/or its mutants and/or portion of the protein or peptides or a DNA as defined in claim 1.

7. Vaccine according to claim 6 in which Tat has the following nucleotide sequence: **SEQ. ID. NO. 1**

5'ATGGAGCCAGTAGATCCTAGACTAGAGCCCTGGAAGCATCCAGGAAGTCA

GCCTAAAACTGCTTGTACCAATTGCTATTGTAAAAAGTGTTGCTTTCATTGCC
AAGTTTGTTTCATAACAAAAGCCTTAGGCATCTCCTATGGCAGGAAGAAGCG
GAGACAGCGACGAAGACCTCCTCAAGGCAGTCAGACTCATCAAGTTTCTCTA
TCAAAGCAGCCCACCTCCCAATCCCGAGGGGACCCGACAGGCCCGAAGGAA
TAG 3'

and any other Tat variant of any HIV type and subtype.

8. Vaccine according to claim 6 in which Tat has the following amino acid sequence: **SEQ. ID. NO. 2**

NH2-MEPVDPRLEPWKHPGSQPKTACTNCYCKKCCFHCQVCFITKALGISY
GRKKRRQRRRPPQGSQTHQVSLSKQPTSQSRGDPTGPKE-COOH

and any other Tat variant of any HIV type and subtype.

9. Vaccine according to claim 6 in which mutants are selected among the ones having the following nucleotide sequences or part of them:

Nucleotide sequence of cys22 mutant: **SEQ. ID. NO. 3**

5'ATGGAGCCAGTAGATCCTAGACTAGAGCCCTGGAAGCATCCAGGAAGTCA
GCCTAAAACTGCGGTACCAATTGCTATTGTAAAAAGTGTTGCTTTCATTGC
CAAGTTTGTTTCATAACAAAAGCCTTAGGCATCTCCTATGGCAGGAAGAA
GCGGAGACAGCGACGAAGACCTCCTCAAGGCAGTCAGACTCATCAAGTT
TCTCTATCAAAGCAGCCCACCTCCCAATCCCGAGGGGACCCGACAGGCC
CGAAGGAATAG 3'

Nucleotide sequence of lys41: **SEQ. ID. NO. 4**

5'ATGGAGCCAGTAGATCCTAGACTAGAGCCCTGGAAGCATCCAGGAAGTCA
GCCTAAAACTGCTTGTACCAATTGCTATTGTAAAAAGTGTTGCTTTCATTG
CCAAGTTTGTTTCATAACAAACGCCTTAGGCATCTCCTATGGCAGGAAGA
AGCGGAGACAGCGACGAAGACCTCCTCAAGGCAGTCAGACTCATCAAGT
TTCTCTATCAAAGCAGCCCACCTCCCAATCCCGAGGGGACCCGACAGGC
CCGAAGGAATAG 3'

Nucleotide sequence of RGDΔ mutant: **SEQ. ID. NO. 5**

5'ATGGAGCCAGTAGATCCTAGACTAGAGCCCTGGAAGCATCCAGGAAGTCA
GCCTAAAACTGCTTGTACCAATTGCTATTGTAAAAAGTGTTGCTTTCATTG
CCAAGTTTGTTTCATAACAAAAGCCTTAGGCATCTCCTATGGCAGGAAGA
AGCGGAGACAGCGACGAAGACCTCCTCAAGGCAGTCAGACTCATCAAGT

TTCTCTATCAAAGCAGCCCACCTCCCAATCCCCGACAGGCCCGAAGGAAT
AG 3'

Nucleotide sequence of lys41-RGDΔ mutant: **SEQ. ID. NO. 6**

5'ATGGAGCCAGTAGATCCTAGACTAGAGCCCTGGAAGCATCCAGGAAGTCA
GCCTAAAACTGCTTGTACCAATTGCTATTGTAAAAAGTGTTGCTTTCATTG
CCAAGTTTGTTTCATAACAAACGCCTTAGGCATCTCCTATGGCAGGAAGA
AGCGGAGACAGCGACGAAGACCTCCTCAAGGCAGTCAGACTCATCAAGT
TTCTCTATCAAAGCAGCCCACCTCCCAATCCCCGACAGGCCCGAAGGAAT
AG 3'

10. Vaccine according to claim 6 in which mutants are selected among the ones having the following amino acid sequence or part of them:

Amino acid sequence of cys22 mutant **SEQ. ID. NO. 7**

NH2-MEPVDPRLEPWKHPGSQPKTAGTNCYCKKCCFHCQVCFITKA
LGISYGRKKRRQRRRPPQGSQTHQVSLSKQPTSQSRGDPTGPKE-COOH

Amino acid sequence of lys41 **SEQ. ID. NO. 8**

NH2-MEPVDPRLEPWKHPGSQPKTACTNCYCKKCCFHCQVCFITTAL
GISYGRKKRRQRRRPPQGSQTHQVSLSKQPTSQSRGDPTGPKE-COOH

Amino acid sequence of RGDΔ mutant **SEQ. ID. NO. 9**

NH2-MEPVDPRLEPWKHPGSQPKTACTNCYCKKCCFHCQVCFITKAL
GISYGRKKRRQRRRPPQGSQTHQVSLSKQPTSQSPTGPKE-COOH

Amino acid sequence of lys41-RGDΔ mutant **SEQ. ID. NO. 10**

NH2-MEPVDPRLEPWKHPGSQPKTACTNCYCKKCCFHCQVCFITTAL
GISYGRKKRRQRRRPPQGSQTHQVSLSKQPTSQSPTGPKE-COOH

11. Vaccine according to claim 6 in which the Tat portions are selected among the peptide sequences

Pep. 1. MEPVDPRLEPWKHPGSQPKT	**SEQ. ID. NO. 11**
Pep. 2. ACTNCYCKKCCFHCQVCFIT	**SEQ. ID. NO. 12**
Pep. 3. QVCFITKALGISYGRK	**SEQ. ID. NO. 13**
Pep. 4. SYGRKKRRQRRRPPQ	**SEQ. ID. NO. 14**
Pep. 5. RPPQGSQTHQVSLSKQ	**SEQ. ID. NO. 15**
Pep. 6. HQVSLSKQPTSQSRGD	**SEQ. ID. NO. 16**
Pep. 7. PTSQSRGDPTGPKE	**SEQ. ID. NO. 17**

12. Vaccine according to claim 6 comprising proteins or peptides conjugated with the T-helper universal epitope of Tetanus toxoid or any T-helper peptides.

13. Vaccine according to claim 6 in combination with recombinant proteins or peptides of HIV Nef, Rev or Gag or part of them.

14. Vaccine according to claim 6 comprising fusion proteins Tat (wild type or its mutants)/Nef, Tat (wild type or its mutants)/Rev, Tat (wild type or its mutants)/Gag or part of them.

15. Vaccine according to claim 6 in combination with recombinant immuno-modulant cytokines or other molecules, or part of them, augmenting antiviral immune response.

16. Vaccine according to claim 15 in which cytokines are IL-12 and/or IL-15 or IFNα or IFNβ.

17. Vaccine according to claim 6 comprising fusion proteins Tat(wild type or its mutants)/immuno-modulant cytokines, Tat (wild type or its mutants)/IL-12, Tat (wild type or its mutants)/IL-15, Tat (wild type or its mutants)/other molecules, or part of them, augmenting the antiviral immune response.

18. DNA vaccine according to claim 6 comprising DNA encoding for Tat wild-type or its mutants or part of them, inserted in expression vectors.

19. DNA vaccine according to claim 6 in combination with an expression vector including HIV rev, nef and gag genes, or part of them.

20. DNA vaccine according to claim 18 in which the vector is a plasmid co-expressing tat (wild-type or its mutants)/rev, tat (wild-type or its mutants)/nef, tat (wild-type or its mutants)/gag or part of them.

21. DNA vaccine according to claim 6 in combination with DNA molecules inserted in expression vectors encoding for immuno-modulant cytokines or other immuno-modulant molecules, or part of them, augmenting the antiviral immune response.

22. DNA vaccine according to claim 21 in which the cytokine is IL-12 and/or IL-15.

23. DNA vaccine according to claim 21 in which the vector is a plasmid co-expressing tat (wild-type or its mutants)/IL-12, tat (wild-type or its mutants)/IL-15, tat (wild-type or its mutants)/other molecules, or part of them, able to augment the antiviral immune response.

24. Vaccine according to claim 18 in which the vector is pCV0.

25. Vaccine according to claim 6 including autologous dendritic cells treated and/or untreated according to the previous claims.

26. Vaccine according to claim 6 including adjuvants able to augment the antiviral immune response.

27. Vaccine according to claim 26 in which the adjuvant is selected among Alum, ISCOM, RIBI and corresponding mixtures.

28. Vaccine according to claim 6 comprising systems for delivery.

29. Vaccine according to claim 28 in which the systems for delivery are selected among nanoparticles, herpes vectors, red cells, bacteria and combinations thereof.

30. Vaccine according to claim 29 in which bacteria are selected among *Streptococcus gordonii* and *Lactobacillus*.

31. Vaccine according to claim 29 in which bacteria are modified to express viral antigens.

32. Vaccine according to claim 6 for the immunization of peripheral blood cells from infected individuals, expanded by co-stimulation with magnetic beads coated with anti-CD3 and anti-CD28 antibodies.

33. Therapeutic vaccine according to claim 6, combined with inhibitors of viral replication.

34. Vaccine according to claim 6 in which the active principle is delivered to the mucosa.

35. Vaccine according to claim 34, in which the active principle is administered nasally, orally, vaginally and/or rectally.

36. Vaccine according to claim 6 in which the active principle is administered through systemic or local route.

37. Vaccine according to claim 36 in which the active principle is administered through intramuscular, subcute or intradermal route.

38. Vaccine according to claim 37 in which the active principle is administered intradermally at 1-6 μg amounts, without adjuvants.

39. Vaccine according to claim 34 in which the active principle is carried in a biologically acceptable fluid.

40. Vaccine according to claim 34 further comprising pharmaceutically acceptable

carriers and eccipients to maximize the principle activity.

41. Biologically active Tat mutant protein having nucleotide sequence selected among:

Nucleotide sequence of the cys22 mutant: **SEQ. ID. NO. 3**

5'ATGGAGCCAGTAGATCCTAGACTAGAGCCCTGGAAGCATCCAGGAAGT
CAGCCTAAAACTGCGGTACCAATTGCTATTGTAAAAAGTGTTGCTTTCATT
GCCAAGTTTGTTTCATAACAAAAGCCTTAGGCATCTCCTATGGCAGGAAG
AAGCGGAGACAGCGACGAAGACCTCCTCAAGGCAGTCAGACTCATCAAG
TTTCTCTATCAAAGCAGCCCACCTCCCAATCCCGAGGGGACCCGACAGG
CCCGAAGGAATAG 3'

Nucleotide sequence of the lys41 mutant: **SEQ. ID. NO. 4**

5'ATGGAGCCAGTAGATCCTAGACTAGAGCCCTGGAAGCATCCAGGAAGT
CAGCCTAAAACTGCTTGTACCAATTGCTATTGTAAAAAGTGTTGCTTTCAT
TGCCAAGTTTGTTTCATAACAAACGCCTTAGGCATCTCCTATGGCAGGAA
GAAGCGGAGACAGCGACGAAGACCTCCTCAAGGCAGTCAGACTCATCAA
GTTTCTCTATCAAAGCAGCCCACCTCCCAATCCCGAGGGGACCCGACAG
GCCCGAAGGAATAG 3'

Nucleotide sequence of the RGDΔ mutant: **SEQ. ID. NO. 5**

5'ATGGAGCCAGTAGATCCTAGACTAGAGCCCTGGAAGCATCCAGGAAGT
CAGCCTAAAACTGCTTGTACCAATTGCTATTGTAAAAAGTGTTGCTTTCAT
TGCCAAGTTTGTTTCATAACAAAAGCCTTAGGCATCTCCTATGGCAGGAA
GAAGCGGAGACAGCGACGAAGACCTCCTCAAGGCAGTCAGACTCATCAA
GTTTCTCTATCAAAGCAGCCCACCTCCCAATCCCCGACAGGCCCGAAGG
AATAG 3'

Nucleotide sequence of the lys41-RGDΔ mutant: **SEQ. ID. NO. 6**

5'ATGGAGCCAGTAGATCCTAGACTAGAGCCCTGGAAGCATCCAGGAAGT
CAGCCTAAAACTGCTTGTACCAATTGCTATTGTAAAAAGTGTTGCTTTCAT
TGCCAAGTTTGTTTCATAACAAACGCCTTAGGCATCTCCTATGGCAGGAA
GAAGCGGAGACAGCGACGAAGACCTCCTCAAGGCAGTCAGACTCATCAA
GTTTCTCTATCAAAGCAGCCCACCTCCCAATCCCCGACAGGCCCGAAGG
AATAG 3'

42. Biologically active Tat mutants amino acid sequence selected among:

Amino acid sequence of cys22 mutant **SEQ. ID. NO. 7**

NH2-MEPVDPRLEPWKHPGSQPKTAGTNCYCKKCCFHCQVCFITKA
LGISYGRKKRRQRRRPPQGSQTHQVSLSKQPTSQSRGDPTGPKE-COOH

Amino acid sequence of lys41 mutant **SEQ. ID. NO. 8**

NH2-MEPVDPRLEPWKHPGSQPKTACTNCYCKKCCFHCQVCFITTAL
GISYGRKKRRQRRRPPQGSQTHQVSLSKQPTSQSRGDPTGPKE-COOH

Amino acid sequence of RGDΔ mutant **SEQ. ID. NO. 9**

NH2-MEPVDPRLEPWKHPGSQPKTACTNCYCKKCCFHCQVCFITKAL
GISYGRKKRRQRRRPPQGSQTHQVSLSKQPTSQSPTGPKE-COOH

Amino acid sequence of lys41-RGDΔ mutant **SEQ. ID. NO. 10**

NH2-MEPVDPRLEPWKHPGSQPKTACTNCYCKKCCFHCQVCFITTAL
GISYGRKKRRQRRRPPQGSQTHQVSLSKQPTSQSPTGPKE-COOH

43. Biologically active Tat mutants with peptide sequence selected among :

Pep. 1. MEPVDPRLEPWKHPGSQPKT	**SEQ. ID. NO. 011**
Pep. 2. ACTNCYCKKCCFHCQVCFIT	**SEQ. ID. NO. 12**
Pep. 3. QVCFITKALGISYGRK	**SEQ. ID. NO. 13**
Pep. 4. SYGRKKRRQRRRPPQ	**SEQ. ID. NO. 14**
Pep. 5. RPPQGSQTHQVSLSKQ	**SEQ. ID. NO. 15**
Pep. 6. HQVSLSKQPTSQSRGD	**SEQ. ID. NO. 16**
Pep. 7. PTSQSRGDPTGPKE	**SEQ. ID. NO. 17**

44. Expression vector comprising a DNA sequence selected among the ones listed in claim 41 or parts thereof.

45. Expression vector pCV0 including a DNA sequence selected among the ones listed in claim 41 or parts thereof.

46. Expression vector pCV0 according to claim 45, comprising a DNA sequence codifying for a gene selected among tat, rev, nef, gag, IL-12, IL-15 and combinations thereof.

47. Transformed cells including the vector according to claim 44.

48. Dendritic cells treated with Tat protein or its peptides or mutants according to claim 42 or combinations with Rev, Nef, and Gag proteins and/or cytokines.

49. Therapeutic method for treating AIDS, AIDS-associated tumors, syndromes and symptoms associated with HIV infection wherein the preventive or therapeutic

amounts of biologically active Tat according to claim 1 are administered.

50. Therapeutic method for treating AIDS, AIDS-associated tumors, syndromes and symptoms associated with HIV infection wherein the preventive or therapeutic amounts of biologically active Tat according to claim 1 are administered, being Tat in its non oxidated and non aggregated form.

51. Therapeutic method for treating AIDS, AIDS-associated tumors, syndromes and symptoms associated with HIV infection wherein the preventive or therapeutic amounts of biologically active Tat according to claim 1 are administered, Tat being lyophilized and re-suspended in a biologically acceptable fluid.

52. Therapeutic method for treating AIDS, AIDS-associated tumors, syndromes and symptoms associated with HIV infection wherein the preventive or therapeutic amounts of biologically active Tat according to claim 1 are administered, in combination with Alum, ISCOM, RIBI and mixtures thereof.

53. Therapeutic method for treating AIDS, AIDS-associated tumors, syndromes and symptoms associated with HIV infection wherein the preventive or therapeutic amounts of biologically active Tat according to claim 1 are administered, in combination with paramagnetic beads coated with monoclonal antibodies anti-CD3 and anti CD-28.